

Allerjif:



- 1. Food allergies afflict more than 13 million Americans.
- 2. Costs total nearly \$25 billion per year.
- 3. Eight foods account for 90% of all food allergen reactions.
- 4. A disposable, handheld, accessible, single-allergen detector delivering results in less than 15 min is a missing key product from the current market space.
- 5. We have created a device of this kind, specifically a peanut-allergen detector as a proof of concept.

Background

The Allerjif device works using the same testing mechanism as pregnancy tests, the lateral flow assay.



- 1. An analyte of interest (in this case the peanut allergen) is applied to a porous membrane
- 2. The analyte binds to a corresponding antibody attached to a visible marker (gold nanoparticle, colored dye, etc)
- 3. The antibody/analyte complex flows through the membrane and binds to a "Positive" test line
- 4. Unbound antibody/marker complexes will continue to flow and bind to a "Control" line of antibodies as a viability check
- 5. If both the "Positive" and "Control" lines are visible, the analyte of interest exists in the test sample (Food being tested)

Low-Cost Food Allergy Lateral Flow Assay









The grinder will maximize the surface area of the food to help the buffer adsorb potential allergens.



give the results of the test.

How it Works











that the test must be completed again.)

http://www.cytodiagnostics.com/store/pc/Lateral-Flow-Immunoassays-d6.htm



Results of Testing Viability Tests



User Tests

Ergonomics I 5 Adult Users I Orientation, comfort, accuracy



Incorrect position



Acknowledgements

Thank you to Dr. Conrad Zapanta, Dr. Jerald Redmond, Medtronic Incorporated, Bruce Che, the Carnegie Mellon Small Undergraduate Research Grant (SURG) program, and the Carnegie Mellon Biomedical Engineering Department for supporting this project.



The device is comprised of a central chamber filled with buffer, a grinder, and a lateral flow test strip.



After the buffer has been exposed to the food, the lateral flow test strip is inserted into the side of the device and will





Possible test strip results (There are 4 different possible outcomes, as shown from left to right: Negative, Positive, High Positive, and Invalid. Negative means that no peanuts exist in the food. Positive or High Positive means that there are peanuts in the food. Invalid (C line is not marked) means

Ji Young Ahn - Industrial Design Vishal Ahuja - Chemical Engineering Ben Crites - Electrical and Computer Engineering David Ott - Materials Science

Correct position