

---

# On the Convergence of Continuous Constrained Optimization for Structure Learning

---

Ignavier Ng<sup>1\*</sup>, Sébastien Lachapelle<sup>2</sup>, Nan Rosemary Ke<sup>2</sup>, Simon Lacoste-Julien<sup>2,3</sup>

<sup>1</sup> University of Toronto

<sup>2</sup> Mila, Université de Montréal

<sup>3</sup> Canada CIFAR AI Chair

## Abstract

Structure learning of directed acyclic graphs (DAGs) is a fundamental problem in many scientific endeavors. A new line of work, based on NOTEARS (Zheng et al., 2018), reformulates the structure learning problem as a continuous optimization one by leveraging an algebraic characterization of DAG constraint. The constrained problem is typically solved using the augmented Lagrangian method (ALM) which is often preferred to the quadratic penalty method (QPM) by virtue of its convergence result that does not require the penalty coefficient to go to infinity, hence avoiding ill-conditioning. In this work, we review the standard convergence result of the ALM and show that the required conditions are not satisfied in the recent continuous constrained formulation for learning DAGs. We demonstrate empirically that its behavior is akin to that of the QPM which is prone to ill-conditioning, thus motivating the use of second-order method in this setting. We also establish the convergence guarantee of QPM to a DAG solution, under mild conditions, based on a property of the DAG constraint term.

## 1 Introduction

Structure learning of directed acyclic graphs (DAGs) is a fundamental problem in many scientific endeavors such as biology (Sachs et al., 2005) and economics (Koller and Friedman, 2009). Traditionally, score-based structure learning methods cast the problem into a discrete optimization program using a predefined score function. Most of these methods, such as GES (Chickering, 2002), involve local heuristics owing to the large search space of graphs (Chickering, 1996; He et al., 2015).

A recent line of work, based on NOTEARS (Zheng et al., 2018), reformulates score-based learning of linear DAGs as a continuous constrained optimization problem. At the heart of the proposed method is an algebraic characterization of acyclicity, which is used to minimize the least square objective while enforcing acyclicity. Various works have extended this idea to support nonlinear models (Kalainathan et al., 2018; Yu et al., 2019; Ng et al., 2019a,b; Lachapelle et al., 2020; Zheng et al., 2020), time-series data (Pamfil et al., 2020), incomplete data (Wang et al., 2020), multiple domains with latent variables (Zeng et al., 2020), unmeasured confounding (Bhattacharya et al., 2020), interventional data (Brouillard et al., 2020; Ke et al., 2020) and flexible score functions (Zhu et al., 2020). On the application side, similar continuous constrained formulations have been adopted in other domains such as transfer learning (Pruthi et al., 2020), normalizing flows (Wehenkel and Louppe, 2020) and disentangled representation learning (Yang et al., 2020; Moraffah et al., 2020).

Like in the original work, most of these extensions rely on the *augmented Lagrangian method* (ALM) (Bertsekas, 1982, 1999) to solve the continuous constrained optimization problem. This choice of

---

\*Work was done during an internship at Mila.

algorithm was originally motivated by the fact that the convergence result of ALM, under some regularity conditions, does not require increasing the penalty coefficient to infinity (Zheng et al., 2018), as is the case for the classical *quadratic penalty method* (QPM) (Powell, 1969; Fletcher, 1987), hence avoiding ill-conditioning that may lead to numerical difficulties. However, it remains unclear whether the continuous constrained formulation proposed by Zheng et al. (2018) satisfies the regularity conditions. Furthermore, to the best of our knowledge, none of the existing works have formally studied whether the continuous constrained formulation is guaranteed to converge to a DAG solution, which is a key to structure learning problems.

**Contributions.** In this work, we take a closer look at the properties of the continuous constrained optimization for learning DAGs and conclude that: (i) the conditions behind standard convergence result of the ALM are not satisfied, (ii) the empirical behavior of ALM is similar to that of QPM in this setting which requires increasing the penalty coefficient to infinity, and (iii) recognizing this provides important insight that translates into practical improvement. We also establish the convergence guarantee of QPM to a DAG solution, under mild conditions.

Although developed independently, our work is closely related to the analysis by Wei et al. (2020), both of which investigate the regularity conditions of the continuous constrained formulation. The main difference is that Wei et al. (2020) focused on the KKT optimality conditions, while our study focuses on the convergence of specific constrained optimization methods (i.e., ALM and QPM).

## 2 Background

We provide a brief review of score-based structure learning, the NOTEARS method (Zheng et al., 2018) and the standard convergence result of ALM.

### 2.1 Score-Based Structure Learning

Structure learning refers to the problem of learning a graphical structure (in our case a DAG, also known as a Bayesian network) from data. Given a set of random variables  $X = (X_1, \dots, X_d)$ , we assume that the corresponding design matrix  $\mathbf{X} \in \mathbb{R}^{n \times d}$  is generated from a joint distribution  $P(X)$  (with a density  $p(x)$ ) that is Markov with respect to the ground truth DAG  $\mathcal{G}$  and can be factorized as  $p(x) = \prod_{i=1}^d p_i(x_i | x_{\text{PA}_i^{\mathcal{G}}})$ , where  $\text{PA}_i^{\mathcal{G}}$  designates the set of parents of  $X_i$  in  $\mathcal{G}$ . Under further assumptions, the DAG  $\mathcal{G}$  is identifiable from the distribution  $P(X)$ , such as the linear non-Gaussian acyclic model (Shimizu et al., 2006) and linear Gaussian model with equal noise variances (Peters and Bühlmann, 2013a). In this work we focus on the latter case.

Under *score-based* methods, structure learning can be formulated as an optimization problem over the space of graphs (Peters et al., 2017) using some goodness-of-fit measure with a sparsity penalty term. Some examples of score-based methods include GES (Chickering, 2002), methods based on integer linear programming (Jaakkola et al., 2010; Cussens, 2011) and CAM (Bühlmann et al., 2014). Most of these methods tackle the structure search problem in its natural discrete form.

### 2.2 NOTEARS: Continuous Constrained Optimization for Structure Learning

NOTEARS (Zheng et al., 2018) adopts a continuous constrained formulation for score-based learning of linear DAGs. In particular, the directed graph is encoded as a *weighted adjacency matrix*  $B \in \mathbb{R}^{d \times d}$  that represents the coefficients of a linear structural equation model (SEM), i.e.,  $X = B^T X + N$ , where  $N$  is a noise vector with independent entries. The authors have showed that  $\text{tr}(e^{B \circ B}) - d = 0$  holds if and only if  $B$  represents a DAG. Since the ground truth is assumed to be acyclic, we have the following constrained optimization problem

$$\min_{B \in \mathbb{R}^{d \times d}} \frac{1}{2n} \|\mathbf{X} - \mathbf{X}B\|_F^2 + \lambda \|B\|_1 \quad \text{subject to} \quad \text{tr}(e^{B \circ B}) - d = 0, \quad (1)$$

where  $\frac{1}{2n} \|\mathbf{X} - \mathbf{X}B\|_F^2$  is the least squares objective and is equal, up to a constant, to the log-likelihood function of linear Gaussian DAGs assuming equal noise variances, and  $\|B\|_1$  denotes the  $\ell_1$  penalty term defined element-wise. To solve the constrained problem (1), NOTEARS relies on the ALM, a general method for continuous constrained optimization, which we review next.

### 2.3 Augmented Lagrangian Method

Consider the following generic constrained optimization problem

$$\min_{\theta \in \mathbb{R}^m} f(\theta) \quad \text{subject to } h(\theta) = 0, \quad (2)$$

where  $f : \mathbb{R}^m \rightarrow \mathbb{R}$  and  $h : \mathbb{R}^m \rightarrow \mathbb{R}^p$  are both twice continuously differentiable.

The ALM transforms a constrained optimization problem like (2) into a sequence of unconstrained problems with solutions converging to a solution of the original problem. At the heart of this approach is the augmented Lagrangian function defined as

$$L(\theta, \alpha; \rho) = f(\theta) + \alpha^\top h(\theta) + \frac{\rho}{2} \|h(\theta)\|^2,$$

where  $\alpha \in \mathbb{R}^p$  is an estimate of the Lagrange multiplier vector,  $\rho$  is the penalty coefficient, and  $\|\cdot\|$  denotes the Euclidean norm. A typical update rule (Bertsekas, 1999) reads

$$\theta^k = \arg \min_{\theta \in \mathbb{R}^m} L(\theta, \alpha^k; \rho^k), \quad (3)$$

$$\alpha^{k+1} = \alpha^k + \rho^k h(\theta^k), \quad (4)$$

$$\rho^{k+1} = \begin{cases} \beta \rho^k & \text{if } \|h(\theta^k)\| > \gamma \|h(\theta^{k-1})\|, \\ \rho^k & \text{otherwise,} \end{cases}$$

where  $\beta > 1$  and  $\gamma < 1$  are hyperparameters. Note that problem (3) can sometimes be solved only to stationarity, if, for example,  $L(\theta, \alpha; \rho)$  is nonconvex, as is the case in the NOTEARS formulation (1).

Based on the procedure of ALM outlined above, we review one of its standard convergence results (Bertsekas, 1982, 1999; Nocedal and Wright, 2006). The following definition is required to state this result and is crucial to the contribution of our work.

**Definition 1 (Regular Point).** We say that a point  $\theta^*$  is regular, or that it satisfies the linear independence constraint qualification (LICQ) if the Jacobian matrix of  $h$  evaluated at  $\theta^*$ ,  $\nabla_\theta h(\theta^*) \in \mathbb{R}^{p \times m}$ , has full rank.

**Theorem 1 (Nocedal and Wright (2006, Theorem 17.5 & 17.6)).** Let  $\theta^*$  be a regular point of (2) that satisfies the second-order sufficient conditions (see Appendix A) with vector  $\alpha^*$ . Then there exist positive scalars  $\bar{\rho}$  (sufficiently large),  $\delta$ ,  $\epsilon$ , and  $M$  such that the following claims hold:

(a) For all  $\alpha_k$  and  $\rho_k$  satisfying

$$\|\alpha_k - \alpha^*\| \leq \rho_k \delta, \quad \rho_k \geq \bar{\rho}, \quad (5)$$

the problem

$$\min_{\theta \in \mathbb{R}^m} L(\theta, \alpha_k; \rho_k) \quad \text{subject to } \|\theta - \theta^*\| \leq \epsilon$$

has a unique solution  $\theta_k$ . Moreover, we have

$$\|\theta_k - \theta^*\| \leq M \|\alpha_k - \alpha^*\| / \rho_k. \quad (6)$$

(b) For all  $\alpha_k$  and  $\rho_k$  that satisfy (5), we have

$$\|\alpha_{k+1} - \alpha^*\| \leq M \|\alpha_k - \alpha^*\| / \rho_k, \quad (7)$$

where  $\alpha_{k+1}$  is given by the formula (4).

An important consequence of Theorem 1 is that if  $\rho_k$  is larger than both  $\bar{\rho}$  and  $\|\alpha_k - \alpha^*\| / \delta$ , then inequalities (6) and (7) hold. If, in addition,  $\rho_k > M$ , then  $\alpha_k \rightarrow \alpha^*$  by (7) and  $\theta_k \rightarrow \theta^*$  by (6), without increasing  $\rho_k$  to infinity. This property often motivates the usage of the ALM over the other approaches for constrained optimization. For example, the classical QPM requires bringing the penalty coefficient  $\rho_k$  to infinity, which may lead to ill-conditioning issues when solving (3). This was the original motivation given by Zheng et al. (2018) for using the ALM. In the next section, we study the required conditions and show that this standard result does not apply in the continuous constrained formulation proposed by Zheng et al. (2018).

### 3 Convergence of the Continuous Constrained Optimization Methods

In this section, we take a closer look at the continuous constrained optimization for learning DAGs in the context of ALM and QPM. With a slight abuse of notation, we consider the following problem

$$\min_{B \in \mathbb{R}^{d \times d}} f(B) \text{ subject to } h(B) = 0, \quad (8)$$

where  $f(B) = \frac{1}{2n} \|\mathbf{X} - \mathbf{X}B\|_F^2$  and  $h(B)$  is a (scalar-valued) constraint term that enforces acyclicity on  $B$ . We consider two acyclicity constraint terms proposed in the literature:

$$\begin{aligned} h_{\text{exp}}(B) &= \text{tr}(e^{B \circ B}) - d && \text{(Zheng et al., 2018),} \\ h_{\text{bin}}(B) &= \text{tr}[(I + cB \circ B)^d] - d, \quad c > 0 && \text{(Yu et al., 2019).} \end{aligned}$$

To simplify our analysis, we ignore the sparsity penalty term in the objective function of Zheng et al. (2018) to ensure that it is continuously differentiable. Note that in Section 4, we study empirically the continuous constrained formulation under less restrictive assumptions.

#### 3.1 Regularity of DAG Constraint Term

To investigate whether Theorem 1 applies for problem (8), one has to first verify if the DAG constraint term  $h(B)$  satisfies the regularity conditions. The following condition is required for our analysis.

**Assumption 1.** *The function  $h(B) = 0$  if and only if its gradient  $\nabla_B h(B) = 0$ .*

Both DAG constraint terms proposed by Zheng et al. (2018) and Yu et al. (2019) satisfy the assumption above, with a proof provided in Appendix B.

**Proposition 1.** *The functions  $h_{\text{exp}}(B)$  and  $h_{\text{bin}}(B)$  satisfy Assumption 1.*

Assumption 1 implies that the Jacobian matrix of function  $h(B)$  (after reshaping) evaluated at any feasible point of problem (8) corresponds to a zero row vector, which, therefore, does not have full rank and leads to the following remark.

**Remark 1.** *If the function  $h(B)$  satisfies Assumption 1, any feasible solution of problem (8) is not regular and Theorem 1 does not apply.*

With Proposition 1, this shows that the advantages of ALM (illustrated by Theorem 1) do not apply for the DAG constraints proposed recently. Hence, we are left with no guarantee that the penalty coefficient  $\rho$  does not have to go to infinity for ALM to converge. In Section 4.1, we show empirically that  $\rho$  grows without converging just like it would in the QPM, which is prone to ill-conditioning.

#### 3.2 Quadratic Penalty Method

We now describe the procedure of QPM for solving the constrained optimization problem (8). The quadratic penalty function is given by

$$Q(B; \rho) = f(B) + \frac{\rho}{2} h(B)^2, \quad (9)$$

with a complete procedure described in Algorithm 1.

This approach adds a quadratic penalty term for the constraint violation to the objective function  $f(B)$ . By gradually increasing the penalty coefficient  $\rho$ , we penalize the constraint violation with increasing severity. Therefore, it makes intuitive sense to think that the procedure converges to a feasible solution (i.e., a DAG solution) as we bring  $\rho$  to infinity. However, this is not necessarily true: in the rather general case, Algorithm 1 returns only a stationary point of the quadratic penalty term  $h(B)^2$  (Nocedal and Wright, 2006, Theorem 17.2).

Fortunately, if the DAG constraint term  $h(B)$  satisfies Assumption 1, the procedure is guaranteed to converge to a feasible solution, under mild conditions, formally stated in Theorem 2. Note that this theorem and its proof are a simple modification of Theorem 17.2 in Nocedal and Wright (2006).

**Theorem 2.** *Suppose in Algorithm 1 that the penalty coefficients satisfy  $\rho_k \rightarrow \infty$  and the sequence of nonnegative tolerances  $\{\tau_k\}$  is bounded.<sup>2</sup> Suppose also that the function  $h(B)$  satisfies Assumption 1. Then every limit point  $B^*$  of the sequence  $\{B_k\}$  is feasible.*

<sup>2</sup>A stricter condition  $\tau_k \rightarrow 0$  is often used in the analysis of QPM (Nocedal and Wright, 2006, Theorem 17.2) but is not required here.

---

**Algorithm 1** Quadratic Penalty Method (Nocedal and Wright, 2006)

---

**Require:** starting penalty coefficient  $\rho_0 > 0$ ; multiplicative factor  $\beta > 1$ ; nonnegative sequence  $\{\tau_k\}$ ; starting point  $B_0$ .

- 1: **for**  $k = 1, 2, \dots$  **do**
  - 2:     Find an approximate minimizer  $B_k$  of  $Q(\cdot; \rho_k)$ , starting at  $B_{k-1}$ ,
  - 3:     and terminating when  $\|\nabla_B Q(B; \rho_k)\|_F \leq \tau_k$
  - 4:     **if** final convergence test satisfied **then**
  - 5:         **stop** with approximate solution  $B_k$
  - 6:     **end if**
  - 7:     Update penalty coefficient  $\rho_{k+1} = \beta \rho_k$
  - 8: **end for**
- 

*Proof.* By differentiating  $Q(B; \rho_k)$  in Eq. (9), we obtain

$$\nabla_B Q(B_k; \rho_k) = \nabla_B f(B_k) + \rho_k h(B_k) \nabla_B h(B_k).$$

From the termination criterion of the subproblems in Algorithm 1, we have

$$\|\nabla_B f(B_k) + \rho_k h(B_k) \nabla_B h(B_k)\|_F \leq \tau_k \leq \tau,$$

where  $\tau$  is an upper bound on  $\{\tau_k\}$ . By rearranging this expression (and in particular using the inequality  $\|a\|_F - \|b\|_F \leq \|a + b\|_F$ ), we obtain

$$\|h(B_k) \nabla_B h(B_k)\|_F \leq \frac{1}{\rho_k} (\tau + \|\nabla_B f(B_k)\|_F).$$

Let  $B^*$  be a limit point of the sequence of iterates. Then there is a subsequence  $\mathcal{K}$  such that  $\lim_{k \in \mathcal{K}} B_k = B^*$ . By the continuity of  $\nabla_B f$ , when we take limits as  $k \rightarrow \infty$  for  $k \in \mathcal{K}$ , the bracketed term on the right-hand-side approaches  $\tau + \|\nabla_B f(B^*)\|_F$ , so because  $\rho_k \rightarrow \infty$ , the right-hand-side approaches zero. This implies that  $\lim_{k \in \mathcal{K}} \|h(B_k) \nabla_B h(B_k)\|_F = 0$ . By the continuity of  $h$  and  $\nabla_B h$ , we conclude that

$$h(B^*) \nabla_B h(B^*) = 0,$$

which, by Assumption 1, yields

$$h(B^*) = 0. \quad \square$$

Theorem 2 and Proposition 1 guarantee that, using the terms  $h_{\text{exp}}(B)$  and  $h_{\text{bin}}(B)$ , Algorithm 1 converges to a DAG solution based on inexact minimizations of  $Q(\cdot; \rho_k)$ , which is a key to structure learning problems. This also explains why the implementations of ALM with these two constraints often return DAG solutions in practice (after thresholding). Furthermore, if Assumption 1 is satisfied, Theorem 2 verifies that one could directly use the value of DAG constraint term as an indicator for the final convergence test in Algorithm 1, i.e.,  $h(B_k) \leq \varepsilon$  with  $\varepsilon$  being a small tolerance. This has been adopted in the current implementation of NOTEARS (Zheng et al., 2018) and most of its extensions.

**Practical issue.** Due to the limit of machine precision, the final solution, in practice, may not correspond exactly to a DAG and contain many entries close to zero, as in (Zheng et al., 2018). Hence, one has to eliminate those weights using a thresholding step on the estimated entries. The experiments in Section 4.1 suggest that a small threshold suffices to obtain DAGs. Nevertheless, a moderately large threshold (e.g., 0.3) is still useful for reducing false discoveries.

## 4 Experiments

We conduct experiments on the structure learning task and take a closer look at the optimization process to verify our study in Section 3. We demonstrate that ALM behaves similarly to QPM, both of which converge to a DAG solution when the penalty coefficient goes to infinity. We then compare the ability of different optimization algorithms to handle the ill-conditioning issues.

**Methods.** To demonstrate that our study generalizes to nonlinear cases, we experiment with both NOTEARS (Zheng et al., 2018) and NOTEARS-MLP (Zheng et al., 2020). We also consider their variants with the  $\ell_1$  penalty term, denoted as NOTEARS-L1 and NOTEARS-MLP-L1, respectively.




Figure 1: Optimization process of NOTEARS on the linear DAG model using ALM and QPM. Each data point corresponds to the  $k$ -th iteration. Shaded area denotes standard errors over 12 trials.




Figure 2: Empirical results of NOTEARS on the linear DAG model using ALM and QPM. Lower is better, except for TPR. Error bars denote standard errors over 12 trials.

**Implementations.** Our implementations are based on the code<sup>3</sup> released by Zheng et al. (2018, 2020) with the DAG constraint term  $h_{\text{exp}}(B)$ . We also use the least squares objective and default hyperparameters in our experiments. Unless otherwise stated, we employ the L-BFGS algorithm (Byrd et al., 2003) to solve each subproblem and a threshold of 0.3 for post-processing.

**Simulations.** We simulate the ground truth DAGs using the *Erdős–Rényi* model (Erdős and Rényi, 1959) with  $d$  edges on average. Based on different graph sizes and data generating procedure, we generate 1000 samples with standard Gaussian noise. For NOTEARS and NOTEARS-L1, we simulate the linear DAG model with edge weights sampled uniformly from  $[-2, -0.5] \cup [0.5, 2]$ , similar to (Zheng et al., 2018). For the nonlinear variants NOTEARS-MLP and NOTEARS-MLP-L1, we consider the data generating procedure used by Ng et al. (2019a); Zheng et al. (2020), where each function is sampled from a Gaussian process (GP) with RBF kernel of bandwidth one. Both data models are known to be identifiable (Peters and Bühlmann, 2013a; Peters et al., 2014).

**Metrics.** We report the structural hamming distance (SHD), structural intervention distance (SID) (Peters and Bühlmann, 2013b) and true positive rate (TPR), averaged over 12 random trials.

#### 4.1 ALM Behaves Similarly to QPM

We conduct experiments to show that ALM behaves similarly to QPM in the context of structure learning, and that both of them converge to a DAG solution. Note that our goal here is not to show that QPM performs better than ALM, but rather to demonstrate that they have similar behavior.

We first take a closer look at the optimization process of ALM and QPM on the 10-node graphs. Figure 1 and 5 depict the penalty coefficient  $\rho_k$ , estimate of Lagrange multiplier  $\alpha_k$  (only for ALM), value of DAG constraint term  $h_{\text{exp}}(B_k)$  and number of cycles in the  $k$ -th iteration of the optimization. Note that we use a small threshold 0.05 when computing the number of cycles. Complementing our study in Section 3.1, NOTEARS with ALM requires very large coefficient  $\rho_k$  so that  $h_{\text{exp}}(B_k)$  is close to zero, similar to QPM. Furthermore, one observes that they both converge to a DAG solution (after thresholding) when  $\rho_k$  is very large, which serves as an empirical validation of Theorem 2.

We further investigate whether ALM and QPM yield similar structure learning performance. The results are reported in Figure 2 and 6 with graph sizes  $d \in \{10, 20, 50, 100\}$ , showing that ALM performs similarly to QPM across all metrics. All these observations appear to generalize to the cases not covered by our analysis in Section 3, including those with nonlinear models and  $\ell_1$  penalty.

<sup>3</sup><https://github.com/xunzheng/notears>




Figure 3: Optimization process of different optimization algorithms for solving the QPM subproblems of NOTEARS. Each data point corresponds to the  $k$ -th iteration. Shaded area denotes standard errors over 12 trials. The blue line overlaps with the orange line in the first panel.




Figure 4: Empirical results of different optimization algorithms for solving the QPM subproblems of NOTEARS. Lower is better, except for TPR. Error bars denote standard errors over 12 trials.

## 4.2 Different Optimization Algorithms for Handling Ill-Conditioning

The previous experiments demonstrate that ALM behaves similarly to QPM that requires bringing the penalty coefficient to infinity in order to converge to a DAG solution, which is known to cause numerical difficulties and ill-conditioning issues on the objective landscape (Nocedal and Wright, 2006, p. 505). Here we experiment with different optimization algorithms for solving the QPM subproblems of NOTEARS, to investigate which of them handle ill-conditioning better. The optimization algorithms include gradient descent with momentum (Qian, 1999), Adam (Kingma and Ba, 2014) and L-BFGS (Byrd et al., 2003). Note that gradient descent with momentum often terminates earlier because of numerical difficulties, so we report its results right before termination.

In Figure 3 we visualize the optimization process on the 100-node graphs. One first observes that momentum terminates when the coefficient  $\rho_k$  reaches  $10^7$ , indicating that it fails to handle ill-conditioning in this setting. Notice that L-BFGS is more stable than Adam for large  $\rho_k$ , thus returning solutions with lower objective value  $f(B_k)$  and SHD. Similar observations are also made for the overall structure learning performance, as depicted in Figure 4 with graph sizes  $d \in \{10, 20, 50, 100\}$ . NOTEARS with L-BFGS performs the best across nearly all metrics, followed by Adam. Gradient descent with momentum gives rise to much higher SHD and SID, especially on large graphs. As compared to first-order gradient descent method, this demonstrates that second-order method such as L-BFGS handles ill-conditioning better by incorporating curvature information through approximations of the Hessian matrix, which is consistent with the optimization literature (Bertsekas, 1999). The Adam algorithm, on the other hand, lies in the middle as it employs diagonal rescaling on the parameter space by maintaining running averages of past gradients (Bottou et al., 2018).

## 5 Conclusion

We took a closer look at the standard convergence result of ALM and showed that the required regularity conditions are not satisfied in the recent continuous constrained formulation for learning DAGs. Further experiments demonstrate that ALM behaves similarly to QPM that requires bringing the penalty coefficient to infinity and is prone to ill-conditioning. We then showed theoretically and empirically that QPM guarantees convergence to a DAG solution, under mild conditions. The empirical studies also suggest that our analysis generalizes to the cases with nonlinear models and  $\ell_1$  penalty. Finally, we demonstrated empirically that second-order method handles ill-conditioning better in this setting, providing practical insight for picking a proper optimization algorithm.

## Acknowledgments

This research was partially supported by the Canada CIFAR AI Chair Program, by an IVADO excellence PhD scholarship and by a Google Focused Research award. The authors would like to thank Yoshua Bengio, David Duvenaud, Bryon Aragam and the anonymous reviewers for helpful comments and suggestions. Simon Lacoste-Julien is a CIFAR Associate Fellow in the Learning in Machines & Brains program.

## References

- D. P. Bertsekas. *Constrained Optimization and Lagrange Multiplier Methods*. Academic Press, 1982.
- D. P. Bertsekas. *Nonlinear Programming*. Athena Scientific, 2nd edition, 1999.
- R. Bhattacharya, T. Nagarajan, D. Malinsky, and I. Shpitser. Differentiable causal discovery under unmeasured confounding. *arXiv preprint arXiv:2010.06978*, 2020.
- L. Bottou, F. E. Curtis, and J. Nocedal. Optimization methods for large-scale machine learning. *SIAM Rev.*, 60: 223–311, 2018.
- P. Brouillard, S. Lachapelle, A. Lacoste, S. Lacoste-Julien, and A. Drouin. Differentiable causal discovery from interventional data, 2020.
- R. Byrd, P. Lu, J. Nocedal, and C. Zhu. A limited memory algorithm for bound constrained optimization. *SIAM Journal on Scientific Computing*, 16, 2003.
- P. Bühlmann, J. Peters, and J. Ernest. Cam: Causal additive models, high-dimensional order search and penalized regression. *The Annals of Statistics*, 42(6):2526–2556, 2014.
- D. M. Chickering. Learning Bayesian networks is NP-complete. In *Learning from Data: Artificial Intelligence and Statistics V*. Springer, 1996.
- D. M. Chickering. Optimal structure identification with greedy search. *Journal of Machine Learning Research*, 3(Nov):507–554, 2002.
- J. Cussens. Bayesian network learning with cutting planes. In *Proceedings of the 27th Conference on Uncertainty in Artificial Intelligence*, 2011.
- P. Erdős and A. Rényi. On random graphs I. *Publicationes Mathematicae*, 6:290–297, 1959.
- R. Fletcher. *Practical Methods of Optimization*. Wiley-Interscience, 1987.
- Y. He, J. Jia, and B. Yu. Counting and exploring sizes of Markov equivalence classes of directed acyclic graphs. *Journal of Machine Learning Research*, 16:2589–2609, 2015.
- T. Jaakkola, D. Sontag, A. Globerson, and M. Meila. Learning Bayesian Network Structure using LP Relaxations. In *Proceedings of the 13th International Conference on Artificial Intelligence and Statistics*, 2010.
- D. Kalainathan, O. Goudet, I. Guyon, D. Lopez-Paz, and M. Sebag. Structural agnostic modeling: Adversarial learning of causal graphs. *arXiv preprint arXiv:1803.04929*, 2018.
- N. R. Ke, O. Bilaniuk, A. Goyal, S. Bauer, H. Larochelle, B. Schölkopf, M. C. Mozer, C. Pal, and Y. Bengio. Learning neural causal models from unknown interventions, 2020.
- D. Kingma and J. Ba. Adam: A method for stochastic optimization. In *International Conference on Learning Representations*, 2014.
- D. Koller and N. Friedman. *Probabilistic Graphical Models: Principles and Techniques*. MIT Press, Cambridge, MA, 2009.
- S. Lachapelle, P. Brouillard, T. Deleu, and S. Lacoste-Julien. Gradient-based neural DAG learning. In *International Conference on Learning Representations*, 2020.
- R. Moraffah, B. Moraffah, M. Karami, A. Raglin, and H. Liu. Causal adversarial network for learning conditional and interventional distributions. *arXiv preprint arXiv:2008.11376*, 2020.
- I. Ng, Z. Fang, S. Zhu, Z. Chen, and J. Wang. Masked gradient-based causal structure learning. *arXiv preprint arXiv:1910.08527*, 2019a.



- I. Ng, S. Zhu, Z. Chen, and Z. Fang. A graph autoencoder approach to causal structure learning. *arXiv preprint arXiv:1911.07420*, 2019b.
- J. Nocedal and S. J. Wright. *Numerical optimization*. Springer series in operations research and financial engineering. Springer, 2nd edition, 2006.
- R. Pamfil, N. Sriwattanaworachai, S. Desai, P. Pilgerstorfer, P. Beaumont, K. Georgatzis, and B. Aragam. DYNOTEARS: Structure learning from time-series data. In *International Conference on Artificial Intelligence and Statistics*, 2020.
- J. Peters and P. Bühlmann. Identifiability of Gaussian structural equation models with equal error variances. *Biometrika*, 101(1):219–228, 2013a.
- J. Peters and P. Bühlmann. Structural intervention distance (SID) for evaluating causal graphs. *Neural Computation*, 27, 2013b.
- J. Peters, J. M. Mooij, D. Janzing, and B. Schölkopf. Causal discovery with continuous additive noise models. *Journal of Machine Learning Research*, 15(1):2009–2053, 2014.
- J. Peters, D. Janzing, and B. Schölkopf. *Elements of Causal Inference - Foundations and Learning Algorithms*. MIT Press, 2017.
- M. J. D. Powell. Nonlinear programming—sequential unconstrained minimization techniques. *The Computer Journal*, 12(3), 1969.
- P. Pruthi, J. González, X. Lu, and M. Fiterau. Structure mapping for transferability of causal models. *arXiv preprint arXiv:2007.09445*, 2020.
- N. Qian. On the momentum term in gradient descent learning algorithms. *Neural Networks*, 12(1):145–151, 1999.
- K. Sachs, O. Perez, D. Pe’er, D. A. Lauffenburger, and G. P. Nolan. Causal protein-signaling networks derived from multiparameter single-cell data. *Science*, 308(5721):523–529, 2005.
- S. Shimizu, P. O. Hoyer, A. Hyvärinen, and A. Kerminen. A linear non-Gaussian acyclic model for causal discovery. *Journal of Machine Learning Research*, 7(Oct):2003–2030, 2006.
- Y. Wang, V. Menkovski, H. Wang, X. Du, and M. Pechenizkiy. Causal discovery from incomplete data: A deep learning approach. *arXiv preprint arXiv:2001.05343*, 2020.
- A. Wehenkel and G. Louppe. Graphical normalizing flows. *arXiv preprint arXiv:2006.02548*, 2020.
- D. Wei, T. Gao, and Y. Yu. DAGs with no fears: A closer look at continuous optimization for learning Bayesian networks. In *Advances in Neural Information Processing Systems*, 2020.
- M. Yang, F. Liu, Z. Chen, X. Shen, J. Hao, and J. Wang. CausalVAE: Disentangled representation learning via neural structural causal models. *arXiv preprint arXiv:2004.08697*, 2020.
- Y. Yu, J. Chen, T. Gao, and M. Yu. DAG-GNN: DAG structure learning with graph neural networks. In *International Conference on Machine Learning*, 2019.
- Y. Zeng, S. Shimizu, R. Cai, F. Xie, M. Yamamoto, and Z. Hao. Causal discovery with multi-domain LiNGAM for latent factors. *arXiv preprint arXiv:2009.09176*, 2020.
- X. Zheng, B. Aragam, P. Ravikumar, and E. P. Xing. DAGs with NO TEARS: Continuous optimization for structure learning. In *Advances in Neural Information Processing Systems*, 2018.
- X. Zheng, C. Dan, B. Aragam, P. Ravikumar, and E. P. Xing. Learning sparse nonparametric DAGs. In *International Conference on Artificial Intelligence and Statistics*, 2020.
- S. Zhu, I. Ng, and Z. Chen. Causal discovery with reinforcement learning. In *International Conference on Learning Representations*, 2020.

# Appendices

## A Optimality Conditions for Equality Constrained Problems

We review the optimality conditions for equality constrained problems, which are required for the study in Section 2.3 and 3.1.

**Definition 2 (First-Order Necessary Conditions).** *Suppose that  $\theta^*$  is a local solution of (2), that the functions  $f$  and  $h$  in (2) are continuously differentiable, and that the LICQ holds at  $\theta^*$ . Define the Lagrangian function of (2) as*

$$\mathcal{L}(\theta, \alpha) = f(\theta) + \alpha^\top h(\theta),$$

where  $\alpha \in \mathbb{R}^p$ . Then there is a Lagrange multiplier vector  $\alpha^*$  such that the following conditions are satisfied at  $(\theta^*, \alpha^*)$ :

$$\nabla_\theta \mathcal{L}(\theta^*, \alpha^*) = 0, \tag{10a}$$

$$h(\theta^*) = 0. \tag{10b}$$

**Definition 3 (Second-Order Sufficient Conditions).** *Let  $\mathcal{L}(\theta, \alpha)$  be the Lagrangian function of (2) as in Definition 2. Suppose that for some feasible point  $\theta^*$  there is a Lagrange multiplier vector  $\alpha^*$  such that the conditions (10) are satisfied. Suppose also that*

$$y^\top \nabla_{\theta\theta}^2 \mathcal{L}(\theta^*, \alpha^*) y > 0, \text{ for all } y \neq 0 \text{ with } \nabla_\theta h(\theta^*) y = 0.$$

Then  $\theta^*$  is a strict local solution for (2).

## B Proof of Proposition 1

*Proof.* We first consider the proof of function  $h_{\text{exp}}(B)$ . Its gradient is given by

$$\nabla_B h_{\text{exp}}(B) = (e^{B \circ B})^\top \circ 2B.$$

If part:

First note that  $h_{\text{exp}}(B) = 0$  implies that  $B$  represents a DAG. Since there is no self-loop, the diagonal entries of  $B$  are zeros, and so are the diagonal entries of  $\nabla_B h_{\text{exp}}(B)$ . It remains to consider the  $(j, i)$ -th entry of  $\nabla_B h_{\text{exp}}(B)$  with  $j \neq i$ :

- If  $B_{ji} = 0$ , then it is clear that  $(\nabla_B h_{\text{exp}}(B))_{ji} = 0$ .
- If  $B_{ji} \neq 0$ , then there is an edge from node  $j$  to node  $i$  with weight  $B_{ji}$ . The other term  $((e^{B \circ B})^\top)_{ji}$  indicates the total number of weighted walks from node  $i$  to node  $j$ . If both  $B_{ji}$  and  $((e^{B \circ B})^\top)_{ji}$  are nonzeros, then there is at least a weighted closed walk passing through node  $i$  and node  $j$ , contradicting the statement that  $B$  represents a DAG.

Therefore, at least one of  $B_{ji}$  and  $((e^{B \circ B})^\top)_{ji}$  must be zero, and we have  $(\nabla_B h_{\text{exp}}(B))_{ji} = 0$ .

Only if part:


We first consider the diagonal entries of  $\nabla_B h_{\text{exp}}(B)$ . Since  $((e^{B \circ B})^\top)_{ii} \geq 1$ ,  $(\nabla_B h_{\text{exp}}(B))_{ii} = 0$  implies that  $B_{ii} = 0$ , or equivalently,  $B$  has no self-loop. Now we consider the  $(j, i)$ -th entry of  $\nabla_B h_{\text{exp}}(B)$  with  $j \neq i$ .  $(\nabla_B h_{\text{exp}}(B))_{ji} = 0$  indicates that at least one of  $B_{ji}$  and  $((e^{B \circ B})^\top)_{ji}$  is zero. Therefore, the edge from node  $j$  to node  $i$ , if exists, must not belong to any cycle. Combining the above cases, we conclude that all edges must not be part of a self-loop or cycle, and that  $B$  represents a DAG, i.e.,  $h_{\text{exp}}(B) = 0$ .

The function  $h_{\text{bin}}(B)$  follows a similar proof and is omitted, by noting that


$$\nabla_B h_{\text{bin}}(B) = [(I + cB \circ B)^{d-1}]^\top \circ 2dcB. \quad \square$$

## C Supplementary Experiment Results


This section provides further experiment results for Section 4.1, focusing on the variants of NOTEARS with nonlinear models and  $\ell_1$  penalty; see Figure 5 and 6.



(a) Optimization process of NOTEARS-L1 on the linear DAG model.




(b) Optimization process of NOTEARS-MLP on the nonlinear DAG model with GP.




(c) Optimization process of NOTEARS-MLP-L1 on the nonlinear DAG model with GP.


Figure 5: Optimization process of the continuous constrained formulation using ALM and QPM. Each data point corresponds to the  $k$ -th iteration. Shaded area denotes standard errors over 12 trials.



(a) Empirical results of NOTEARS-L1 on the linear DAG model.



(b) Empirical results of NOTEARS-MLP on the nonlinear DAG model with GP.



(c) Empirical results of NOTEARS-MLP-L1 on the nonlinear DAG model with GP.

Figure 6: Empirical results of the continuous constrained formulation using ALM and QPM. Lower is better, except for TPR. Error bars denote standard errors over 12 trials.