

Custodial Services Audit Results - September 2016
Academic Environment

| Summary | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|----------------|-----------------|---------------|-----------------|---------------|------------------|-----------------|-----------------|
| Baker Porter | 84.88% | 81.50% | 84.63% | 83.94% | 83.69% | 83.69% | 83.98% |
| CFA | 85.00% | 81.38% | 84.13% | 83.69% | 83.38% | 83.69% | 83.72% |
| Doherty | 85.00% | 81.50% | 83.56% | 83.38% | 81.75% | 83.31% | 83.00% |
| Gates | 85.75% | 81.44% | 85.50% | 85.13% | 85.44% | 84.69% | 85.19% |
| Hamburg | 85.63% | 81.63% | 84.00% | 83.88% | 84.38% | 84.75% | 84.25% |
| Hamerschlag | 84.50% | 81.25% | 83.56% | 83.50% | 83.56% | 83.50% | 83.53% |
| Hunt | 85.94% | 81.19% | 83.81% | 83.81% | 83.50% | 83.44% | 83.64% |
| Mellon | 84.25% | 84.25% | 84.88% | 83.81% | 84.13% | 84.38% | 84.30% |
| MMCH | 85.44% | 81.19% | 83.69% | 84.06% | 84.50% | 83.88% | 84.03% |
| Newell Simon | 86.56% | 81.63% | 85.50% | 84.06% | 84.25% | 84.75% | 84.64% |
| Purnell | 84.75% | 81.31% | 84.13% | 83.56% | 84.00% | 84.00% | 83.92% |
| PTC | 85.63% | 81.28% | 84.19% | 84.38% | 84.06% | 83.91% | 84.13% |
| Roberts | 85.06% | 81.38% | 83.81% | 83.94% | 83.75% | 83.88% | 83.84% |
| Scaife | 84.44% | 81.13% | 83.06% | 83.44% | 82.44% | 83.50% | 83.11% |
| Scott Hall | 87.00% | 83.81% | 86.69% | 86.56% | 86.75% | 87.00% | 86.75% |
| SEI | 86.44% | 81.75% | 85.63% | 84.38% | 84.75% | 84.38% | 84.78% |
| Smith | 84.31% | 81.25% | 83.44% | 83.75% | 83.94% | 83.63% | 83.69% |
| Tepper | 86.38% | 81.88% | 85.19% | 83.94% | 83.94% | 84.44% | 84.38% |
| Wean | 86.06% | 81.31% | 84.00% | 84.25% | 84.13% | 83.69% | 84.02% |
| Average | 85.42% | 81.69% | 84.39% | 84.08% | 84.02% | 84.13% | 84.15% |
| <i>Passing</i> | <i>84%</i> | <i>81%</i> | | | | | <i>83%</i> |

| Baker Porter | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|---------------------|-----------------|---------------|-----------------|---------------|------------------|-----------------|-----------------|
| Ceiling | 85.00% | 81.50% | 85.50% | 84.50% | 84.50% | 84.00% | 84.63% |
| Walls | 85.00% | 81.25% | 84.50% | 84.00% | 83.50% | 83.75% | 83.94% |
| Floor | 84.50% | 81.25% | 84.50% | 83.75% | 83.50% | 83.50% | 83.81% |
| Fixtures | 85.00% | 82.00% | 84.00% | 83.50% | 83.25% | 83.50% | 83.56% |
| Average | 84.88% | 81.50% | 84.63% | 83.94% | 83.69% | 83.69% | 83.98% |
| <i>Passing</i> | <i>84%</i> | <i>81%</i> | | | | | <i>83%</i> |

| CFA | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|----------------|-----------------|---------------|-----------------|---------------|------------------|-----------------|-----------------|
| Ceiling | 85.50% | 81.50% | 85.00% | 84.50% | 83.50% | 83.75% | 84.19% |
| Walls | 85.00% | 81.25% | 83.75% | 83.75% | 83.25% | 84.00% | 83.69% |
| Floor | 84.50% | 81.25% | 83.75% | 83.25% | 83.75% | 83.75% | 83.63% |
| Fixtures | 85.00% | 81.50% | 84.00% | 83.25% | 83.00% | 83.25% | 83.38% |
| Average | 85.00% | 81.38% | 84.13% | 83.69% | 83.38% | 83.69% | 83.72% |
| <i>Passing</i> | <i>84%</i> | <i>81%</i> | | | | | <i>83%</i> |

| Doherty | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|----------------|-----------------|---------------|-----------------|---------------|------------------|-----------------|-----------------|
| Ceiling | 85.50% | 82.50% | 84.50% | 83.75% | 84.00% | 84.00% | 84.06% |
| Walls | 84.50% | 81.25% | 83.00% | 82.75% | 83.00% | 83.25% | 83.00% |
| Floor | 85.00% | 81.00% | 83.00% | 83.50% | 79.50% | 82.75% | 82.19% |
| Fixtures | 85.00% | 81.25% | 83.75% | 83.50% | 80.50% | 83.25% | 82.75% |
| Average | 85.00% | 81.50% | 83.56% | 83.38% | 81.75% | 83.31% | 83.00% |

Custodial Services Audit Results - September 2016
Academic Environment

Passing 84% 81% | | 83%

| Gates | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|--------------|----------|--------|----------|--------|-----------|----------|----------|
| Ceiling | 86.25% | 82.00% | 85.50% | 86.25% | 85.50% | 87.00% | 86.06% |
| Walls | 86.25% | 81.25% | 85.00% | 85.00% | 85.00% | 84.00% | 84.75% |
| Floor | 85.00% | 81.00% | 85.50% | 84.50% | 86.25% | 83.75% | 85.00% |
| Fixtures | 85.50% | 81.50% | 86.00% | 84.75% | 85.00% | 84.00% | 84.94% |
| Average | 85.75% | 81.44% | 85.50% | 85.13% | 85.44% | 84.69% | 85.19% |
| Passing | 84% | 81% | | | | | 83% |

| Hamburg | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|----------------|----------|--------|----------|--------|-----------|----------|----------|
| Ceiling | 85.50% | 82.00% | 84.50% | 83.50% | 84.25% | 83.50% | 83.94% |
| Walls | 85.00% | 82.00% | 83.75% | 84.50% | 83.75% | 84.75% | 84.19% |
| Floor | 86.25% | 81.25% | 84.00% | 83.75% | 84.75% | 86.25% | 84.69% |
| Fixtures | 85.75% | 81.25% | 83.75% | 83.75% | 84.75% | 84.50% | 84.19% |
| Average | 85.63% | 81.63% | 84.00% | 83.88% | 84.38% | 84.75% | 84.25% |
| Passing | 84% | 81% | | | | | 83% |

| Hamerschlag | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|--------------------|----------|--------|----------|--------|-----------|----------|----------|
| Ceiling | 84.50% | 81.50% | 83.25% | 83.25% | 84.00% | 83.75% | 83.56% |
| Walls | 84.50% | 81.25% | 83.50% | 83.25% | 83.25% | 83.25% | 83.31% |
| Floor | 84.00% | 81.00% | 83.75% | 83.75% | 83.75% | 83.75% | 83.75% |
| Fixtures | 85.00% | 81.25% | 83.75% | 83.75% | 83.25% | 83.25% | 83.50% |
| Average | 84.50% | 81.25% | 83.56% | 83.50% | 83.56% | 83.50% | 83.53% |
| Passing | 84% | 81% | | | | | 83% |

| Hunt | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|-------------|----------|--------|----------|--------|-----------|----------|----------|
| Ceiling | 86.25% | 81.50% | 83.75% | 83.75% | 84.00% | 83.75% | 83.81% |
| Walls | 85.00% | 81.00% | 83.25% | 84.00% | 83.50% | 83.25% | 83.50% |
| Floor | 86.00% | 81.00% | 85.00% | 83.75% | 83.25% | 83.25% | 83.81% |
| Fixtures | 86.50% | 81.25% | 83.25% | 83.75% | 83.25% | 83.50% | 83.44% |
| Average | 85.94% | 81.19% | 83.81% | 83.81% | 83.50% | 83.44% | 83.64% |
| Passing | 84% | 81% | | | | | 83% |

| Mellon | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|---------------|----------|--------|----------|--------|-----------|----------|----------|
| Ceiling | 84.50% | 84.00% | 84.50% | 83.50% | 83.75% | 84.50% | 84.06% |
| Walls | 84.00% | 84.50% | 84.50% | 83.75% | 84.00% | 84.00% | 84.06% |
| Floor | 83.75% | 84.50% | 85.00% | 84.00% | 84.75% | 85.00% | 84.69% |
| Fixtures | 84.75% | 84.00% | 85.50% | 84.00% | 84.00% | 84.00% | 84.38% |
| Average | 84.25% | 84.25% | 84.88% | 83.81% | 84.13% | 84.38% | 84.30% |
| Passing | 84% | 81% | | | | | 83% |

| MMCH | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|-------------|----------|--------|----------|--------|-----------|----------|----------|
| Ceiling | 86.25% | 81.50% | 83.25% | 84.50% | 84.50% | 84.25% | 84.13% |
| Walls | 85.00% | 81.00% | 83.75% | 84.00% | 84.00% | 83.75% | 83.88% |
| Floor | 85.00% | 81.25% | 83.75% | 83.75% | 85.00% | 84.50% | 84.25% |

Custodial Services Audit Results - September 2016
Academic Environment

| | | | | | | | |
|----------|--------|--------|--------|--------|--------|--------|--------|
| Fixtures | 85.50% | 81.00% | 84.00% | 84.00% | 84.50% | 83.00% | 83.88% |
| Average | 85.44% | 81.19% | 83.69% | 84.06% | 84.50% | 83.88% | 84.03% |
| Passing | 84% | 81% | | | | | 83% |

| Newell Simon | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|---------------------|----------|--------|----------|--------|-----------|----------|----------|
| Ceiling | 87.00% | 82.50% | 85.50% | 84.50% | 84.75% | 85.50% | 85.06% |
| Walls | 86.00% | 81.50% | 85.00% | 84.00% | 84.50% | 85.00% | 84.63% |
| Floor | 87.00% | 81.25% | 85.50% | 83.75% | 84.00% | 84.50% | 84.44% |
| Fixtures | 86.25% | 81.25% | 86.00% | 84.00% | 83.75% | 84.00% | 84.44% |
| Average | 86.56% | 81.63% | 85.50% | 84.06% | 84.25% | 84.75% | 84.64% |
| Passing | 84% | 81% | | | | | 83% |

| Purnell | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|----------------|----------|--------|----------|--------|-----------|----------|----------|
| Ceiling | 84.75% | 81.50% | 84.50% | 83.50% | 84.75% | 85.00% | 84.44% |
| Walls | 84.75% | 81.00% | 84.00% | 83.75% | 83.75% | 83.75% | 83.81% |
| Floor | 84.50% | 81.50% | 83.50% | 83.75% | 83.50% | 84.00% | 83.69% |
| Fixtures | 85.00% | 81.25% | 84.50% | 83.25% | 84.00% | 83.25% | 83.75% |
| Average | 84.75% | 81.31% | 84.13% | 83.56% | 84.00% | 84.00% | 83.92% |
| Passing | 84% | 81% | | | | | 83% |

| PTC | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|------------|----------|--------|----------|--------|-----------|----------|----------|
| Ceiling | 86.25% | 81.38% | 84.50% | 84.50% | 83.50% | 84.50% | 84.25% |
| Walls | 86.25% | 81.00% | 84.50% | 84.50% | 83.50% | 84.00% | 84.13% |
| Floor | 85.00% | 81.50% | 83.75% | 83.75% | 84.50% | 83.75% | 83.94% |
| Fixtures | 85.00% | 81.25% | 84.00% | 84.75% | 84.75% | 83.38% | 84.22% |
| Average | 85.63% | 81.28% | 84.19% | 84.38% | 84.06% | 83.91% | 84.13% |
| Passing | 84% | 81% | | | | | 83% |

| Roberts | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|----------------|----------|--------|----------|--------|-----------|----------|----------|
| Ceiling | 85.00% | 81.50% | 84.50% | 84.50% | 84.50% | 84.75% | 84.56% |
| Walls | 85.00% | 81.50% | 83.75% | 84.00% | 83.75% | 84.00% | 83.88% |
| Floor | 84.75% | 81.25% | 83.25% | 83.75% | 83.50% | 83.75% | 83.56% |
| Fixtures | 85.50% | 81.25% | 83.75% | 83.50% | 83.25% | 83.00% | 83.38% |
| Average | 85.06% | 81.38% | 83.81% | 83.94% | 83.75% | 83.88% | 83.84% |
| Passing | 84% | 81% | | | | | 83% |

| Scaife | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|---------------|----------|--------|----------|--------|-----------|----------|----------|
| Ceiling | 84.75% | 81.25% | 83.25% | 83.25% | 84.00% | 84.00% | 83.63% |
| Walls | 84.25% | 81.25% | 83.25% | 83.25% | 83.25% | 83.50% | 83.31% |
| Floor | 84.25% | 81.00% | 83.00% | 83.75% | 81.25% | 83.25% | 82.81% |
| Fixtures | 84.50% | 81.00% | 82.75% | 83.50% | 81.25% | 83.25% | 82.69% |
| Average | 84.44% | 81.13% | 83.06% | 83.44% | 82.44% | 83.50% | 83.11% |
| Passing | 84% | 81% | | | | | 83% |

| Scott | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|--------------|----------|--------|----------|--------|-----------|----------|----------|
| Ceiling | 87.00% | 85.00% | 87.00% | 87.00% | 87.25% | 87.25% | 87.13% |

Custodial Services Audit Results - September 2016

Academic Environment

| | | | | | | | |
|----------|--------|--------|--------|--------|--------|--------|--------|
| Walls | 86.50% | 83.75% | 86.25% | 86.00% | 87.00% | 86.75% | 86.50% |
| Floor | 87.00% | 83.00% | 87.00% | 87.25% | 86.50% | 87.00% | 86.94% |
| Fixtures | 87.50% | 83.50% | 86.50% | 86.00% | 86.25% | 87.00% | 86.44% |
| Average | 87.00% | 83.81% | 86.69% | 86.56% | 86.75% | 87.00% | 86.75% |
| Passing | 84% | 81% | | | | | 83% |

| SEI | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|----------|----------|--------|----------|--------|-----------|----------|----------|
| Ceiling | 86.25% | 82.50% | 86.25% | 85.00% | 84.50% | 84.50% | 85.06% |
| Walls | 86.25% | 81.00% | 85.00% | 84.50% | 84.50% | 84.00% | 84.50% |
| Floor | 86.50% | 81.50% | 86.25% | 84.00% | 85.00% | 84.50% | 84.94% |
| Fixtures | 86.75% | 82.00% | 85.00% | 84.00% | 85.00% | 84.50% | 84.63% |
| Average | 86.44% | 81.75% | 85.63% | 84.38% | 84.75% | 84.38% | 84.78% |
| Passing | 84% | 81% | | | | | 83% |

| Smith | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|----------|----------|--------|----------|--------|-----------|----------|----------|
| Ceiling | 84.50% | 81.50% | 83.75% | 83.75% | 84.50% | 83.75% | 83.94% |
| Walls | 84.00% | 81.25% | 83.25% | 84.00% | 84.00% | 83.75% | 83.75% |
| Floor | 84.50% | 81.00% | 83.25% | 83.75% | 83.75% | 84.00% | 83.69% |
| Fixtures | 84.25% | 81.25% | 83.50% | 83.50% | 83.50% | 83.00% | 83.38% |
| Average | 84.31% | 81.25% | 83.44% | 83.75% | 83.94% | 83.63% | 83.69% |
| Passing | 84% | 81% | | | | | 83% |

| Tepper | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|----------|----------|--------|----------|--------|-----------|----------|----------|
| Ceiling | 86.00% | 82.50% | 84.50% | 84.25% | 84.00% | 83.50% | 84.06% |
| Walls | 86.00% | 82.00% | 83.75% | 84.00% | 84.00% | 83.75% | 83.88% |
| Floor | 86.50% | 81.50% | 88.75% | 83.75% | 83.75% | 85.00% | 85.31% |
| Fixtures | 87.00% | 81.50% | 83.75% | 83.75% | 84.00% | 85.50% | 84.25% |
| Average | 86.38% | 81.88% | 85.19% | 83.94% | 83.94% | 84.44% | 84.38% |
| Passing | 84% | 81% | | | | | 83% |

| Wean | Restroom | Office | Cooridor | Entry | Classroom | Assembly | Core Avg |
|----------|----------|--------|----------|--------|-----------|----------|----------|
| Ceiling | 86.50% | 81.50% | 84.25% | 85.00% | 85.50% | 84.50% | 84.81% |
| Walls | 86.25% | 81.25% | 84.00% | 84.50% | 83.75% | 83.75% | 84.00% |
| Floor | 86.00% | 81.00% | 83.75% | 83.75% | 83.75% | 83.50% | 83.69% |
| Fixtures | 85.50% | 81.50% | 84.00% | 83.75% | 83.50% | 83.00% | 83.56% |
| Average | 86.06% | 81.31% | 84.00% | 84.25% | 84.13% | 83.69% | 84.02% |
| Passing | 84% | 81% | | | | | 83% |