

Custodial Services Audit Results - April 2016

Academic Environment

Summary	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Baker Porter	84.00%	81.31%	83.75%	83.19%	82.94%	82.94%	83.20%
CFA	84.06%	81.06%	83.13%	83.13%	83.25%	83.13%	83.16%
Doherty	84.06%	81.13%	83.13%	83.19%	83.13%	83.19%	83.16%
Gates	84.34%	81.69%	83.88%	84.34%	83.06%	83.38%	83.66%
Hamburg	84.03%	81.03%	82.91%	82.94%	83.06%	83.16%	83.02%
Hamerschlag	84.03%	81.06%	83.13%	83.06%	83.00%	83.19%	83.09%
Hunt	84.13%	81.06%	82.88%	83.19%	82.94%	83.19%	83.05%
Mellon	84.03%	81.28%	84.06%	83.00%	83.13%	83.00%	83.30%
MMCH	84.13%	81.13%	83.19%	83.25%	83.06%	83.19%	83.17%
Newell Simon	84.09%	81.13%	83.31%	83.44%	83.25%	83.25%	83.31%
Purnell	84.19%	81.06%	83.19%	83.06%	83.06%	83.19%	83.13%
PTC	84.09%	81.09%	83.06%	83.13%	83.00%	83.06%	83.06%
Roberts	84.06%	81.00%	83.13%	83.50%	83.63%	83.44%	83.42%
Scaife	84.00%	81.00%	83.19%	83.19%	83.50%	83.56%	83.36%
SEI	84.13%	81.44%	83.00%	83.13%	83.13%	83.31%	83.14%
Smith	85.31%	81.06%	83.13%	83.13%	83.13%	83.19%	83.14%
Tepper	84.25%	81.06%	83.19%	83.19%	83.31%	83.25%	83.23%
Wean	84.00%	81.13%	83.00%	83.13%	83.19%	82.94%	83.06%
Average	84.16%	81.15%	83.24%	83.23%	83.15%	83.20%	83.20%
Passing	84%	81%					83%

Baker Porter	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Ceiling	84.25%	81.88%	84.25%	83.25%	83.25%	83.00%	83.44%
Walls	83.75%	81.00%	84.00%	83.00%	82.75%	83.00%	83.19%
Floor	83.75%	80.75%	83.75%	83.25%	82.75%	83.00%	83.19%
Fixtures	84.25%	81.63%	83.00%	83.25%	83.00%	82.75%	83.00%
Average	84.00%	81.31%	83.75%	83.19%	82.94%	82.94%	83.20%
Passing	84%	81%					83%

CFA	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Ceiling	84.25%	81.25%	83.00%	83.00%	83.50%	83.00%	83.13%
Walls	83.75%	81.25%	83.25%	83.25%	83.00%	83.25%	83.19%
Floor	84.00%	80.75%	83.00%	83.00%	83.25%	83.25%	83.13%
Fixtures	84.25%	81.00%	83.25%	83.25%	83.25%	83.00%	83.19%
Average	84.06%	81.06%	83.13%	83.13%	83.25%	83.13%	83.16%
Passing	84%	81%					83%

Doherty	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Ceiling	84.00%	81.25%	83.50%	83.25%	83.00%	83.50%	83.31%
Walls	84.00%	81.00%	82.75%	83.25%	83.00%	83.25%	83.06%
Floor	84.00%	81.25%	83.00%	82.75%	83.25%	82.75%	82.94%
Fixtures	84.25%	81.00%	83.25%	83.50%	83.25%	83.25%	83.31%
Average	84.06%	81.13%	83.13%	83.19%	83.13%	83.19%	83.16%
Passing	84%	81%					83%

Gates	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Ceiling	84.50%	81.88%	84.50%	84.75%	83.25%	83.63%	84.03%
Walls	83.75%	82.13%	83.50%	84.13%	83.25%	83.25%	83.53%
Floor	83.75%	81.13%	83.88%	84.50%	82.75%	83.00%	83.53%
Fixtures	85.38%	81.63%	83.63%	84.00%	83.00%	83.63%	83.56%
Average	84.34%	81.69%	83.88%	84.34%	83.06%	83.38%	83.66%
Passing	84%	81%					83%

Hamburg	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Ceiling	84.13%	81.38%	83.13%	83.25%	83.25%	83.63%	83.31%
Walls	83.88%	81.25%	82.88%	83.00%	83.00%	83.00%	82.97%
Floor	84.13%	80.75%	82.75%	82.75%	83.00%	83.00%	82.88%
Fixtures	84.00%	80.75%	82.88%	82.75%	83.00%	83.00%	82.91%
Average	84.03%	81.03%	82.91%	82.94%	83.06%	83.16%	83.02%
Passing	84%	81%					83%

Hamerschlag	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Ceiling	84.00%	81.25%	83.25%	83.50%	83.25%	83.50%	83.38%
Walls	83.75%	81.00%	83.00%	83.00%	82.75%	83.25%	83.00%
Floor	84.00%	80.75%	83.00%	82.75%	83.00%	83.00%	82.94%
Fixtures	84.38%	81.25%	83.25%	83.00%	83.00%	83.00%	83.06%
Average	84.03%	81.06%	83.13%	83.06%	83.00%	83.19%	83.09%
Passing	84%	81%					83%

Hunt	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Ceiling	84.25%	81.25%	83.00%	83.50%	83.25%	83.50%	83.31%
Walls	84.00%	81.00%	82.75%	83.13%	83.00%	83.25%	83.03%
Floor	84.00%	80.75%	82.75%	83.00%	82.75%	83.00%	82.88%
Fixtures	84.25%	81.25%	83.00%	83.13%	82.75%	83.00%	82.97%
Average	84.13%	81.06%	82.88%	83.19%	82.94%	83.19%	83.05%
Passing	84%	81%					83%

Mellon	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Ceiling	84.00%	82.13%	84.00%	83.00%	83.00%	83.00%	83.25%
Walls	83.50%	81.00%	84.00%	83.00%	83.00%	83.00%	83.25%
Floor	84.00%	81.25%	84.25%	83.00%	83.25%	83.00%	83.38%
Fixtures	84.63%	80.75%	84.00%	83.00%	83.25%	83.00%	83.31%
Average	84.03%	81.28%	84.06%	83.00%	83.13%	83.00%	83.30%
Passing	84%	81%					83%

MMCH	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Ceiling	84.50%	81.25%	83.25%	83.75%	83.50%	83.25%	83.44%
Walls	84.25%	81.25%	83.25%	83.00%	83.00%	83.25%	83.13%
Floor	83.75%	80.75%	83.00%	83.00%	82.75%	83.00%	82.94%
Fixtures	84.00%	81.25%	83.25%	83.25%	83.00%	83.25%	83.19%
Average	84.13%	81.13%	83.19%	83.25%	83.06%	83.19%	83.17%
Passing	84%	81%					83%

Newell Simon	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Ceiling	84.25%	81.00%	83.50%	83.75%	83.75%	83.50%	83.63%
Walls	83.63%	80.50%	83.25%	83.00%	83.25%	83.25%	83.19%
Floor	84.00%	81.25%	83.25%	83.50%	83.00%	83.00%	83.19%
Fixtures	84.50%	81.75%	83.25%	83.50%	83.00%	83.25%	83.25%
Average	84.09%	81.13%	83.31%	83.44%	83.25%	83.25%	83.31%
Passing	84%	81%					83%

Purnell	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Ceiling	84.75%	81.50%	83.25%	83.25%	83.50%	83.50%	83.38%
Walls	84.25%	81.00%	83.25%	83.00%	83.00%	83.00%	83.06%
Floor	83.75%	81.00%	83.00%	82.75%	82.75%	83.00%	82.88%
Fixtures	84.00%	80.75%	83.25%	83.25%	83.00%	83.25%	83.19%
Average	84.19%	81.06%	83.19%	83.06%	83.06%	83.19%	83.13%
Passing	84%	81%					83%

PTC	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Ceiling	84.25%	81.13%	83.25%	83.50%	83.25%	83.25%	83.31%
Walls	84.25%	81.13%	83.00%	83.00%	83.00%	83.00%	83.00%
Floor	84.13%	80.75%	82.75%	83.00%	82.75%	83.00%	82.88%
Fixtures	83.75%	81.38%	83.25%	83.00%	83.00%	83.00%	83.06%
Average	84.09%	81.09%	83.06%	83.13%	83.00%	83.06%	83.06%
Passing	84%	81%					83%

Roberts	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Ceiling	84.50%	81.25%	83.75%	83.75%	83.75%	83.50%	83.69%
Walls	83.75%	80.75%	83.00%	83.50%	83.75%	83.50%	83.44%
Floor	83.75%	80.75%	82.75%	83.50%	83.25%	83.25%	83.19%
Fixtures	84.25%	81.25%	83.00%	83.25%	83.75%	83.50%	83.38%
Average	84.06%	81.00%	83.13%	83.50%	83.63%	83.44%	83.42%
Passing	84%	81%					83%

Scaife	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Ceiling	84.00%	81.25%	83.50%	83.75%	83.25%	83.75%	83.56%
Walls	84.00%	81.00%	83.00%	83.00%	83.50%	83.75%	83.31%
Floor	83.75%	80.75%	83.00%	83.00%	83.50%	83.50%	83.25%
Fixtures	84.25%	81.00%	83.25%	83.00%	83.75%	83.25%	83.31%
Average	84.00%	81.00%	83.19%	83.19%	83.50%	83.56%	83.36%
Passing	84%	81%					83%

SEI	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Ceiling	84.50%	81.88%	83.25%	83.25%	83.25%	83.50%	83.31%
Walls	83.75%	81.50%	82.75%	83.00%	83.25%	83.25%	83.06%
Floor	84.00%	80.75%	83.00%	83.25%	83.00%	83.25%	83.13%
Fixtures	84.25%	81.63%	83.00%	83.00%	83.00%	83.25%	83.06%
Average	84.13%	81.44%	83.00%	83.13%	83.13%	83.31%	83.14%
Passing	84%	81%					83%

Smith	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Ceiling	84.00%	81.25%	83.25%	83.50%	83.50%	83.50%	83.44%
Walls	88.75%	81.25%	83.25%	82.75%	82.75%	83.25%	83.00%
Floor	84.25%	81.00%	83.00%	83.00%	83.00%	83.00%	83.00%
Fixtures	84.25%	80.75%	83.00%	83.25%	83.25%	83.00%	83.13%
Average	85.31%	81.06%	83.13%	83.13%	83.13%	83.19%	83.14%
Passing	84%	81%					83%

Tepper	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Ceiling	84.75%	81.50%	83.00%	83.50%	83.75%	83.25%	83.38%
Walls	84.00%	80.75%	83.25%	83.00%	83.00%	83.50%	83.19%
Floor	84.00%	81.00%	83.50%	83.25%	83.25%	83.25%	83.31%
Fixtures	84.25%	81.00%	83.00%	83.00%	83.25%	83.00%	83.06%
Average	84.25%	81.06%	83.19%	83.19%	83.31%	83.25%	83.23%
Passing	84%	81%					83%

Wean	Restroom	Office	Cooridor	Entry	Classroom	Assembly	Core Avg
Ceiling	84.25%	81.00%	83.25%	83.25%	83.50%	83.00%	83.25%
Walls	83.75%	80.75%	83.00%	83.00%	83.00%	82.75%	82.94%
Floor	83.50%	80.88%	82.75%	83.00%	83.25%	82.75%	82.94%
Fixtures	84.50%	81.88%	83.00%	83.25%	83.00%	83.25%	83.13%
Average	84.00%	81.13%	83.00%	83.13%	83.19%	82.94%	83.06%
Passing	84%	81%					83%