

ETSI MEC: An Introduction

(almost) everything you want to know about ETSI MEC

Presented by: **ETSI MEC Leadership Team** For: **Public consumption**

ETSI ISG MEC

ETSI: The Standards People
We produce globally applicable standards for ICT-enabled systems, applications and services deployed across all sectors of industry and society

MEC: Multi-access Edge Computing
Cloud Computing at the Edge of the network.

ISG: Industry Specification Group
open to all of industry, regardless of ETSI membership and focused on all industry needs

Standards +

Industry Enablement +

Telco Edge Focus


ETSI MEC – What we do

Foundation for Edge Computing created – Fully standardized solution to enable applications in distributed cloud created by ETSI MEC + 3GPP



Application Life Cycle Management

RESTful based APIs for Runtime Application Services



103 members - Operators – Technology Vendors – IT players – Application developers



Completing our 2nd 3-year Phase of work

■ Key overall specification

- Technical Requirements (MEC 002)
- Framework and Ref. Arch. (MEC 003)
- MEC PoC Process (MEC-IEG 005)
- API Framework (MEC 009)

■ IaaS Management APIs

- Platform mgmt. (MEC 010-1)
- Application mgmt. (MEC 010-2)
- Device-triggered LCM operations (MEC 016)

■ PaaS Service Exposure

- Required Platform Svcs / App. Enablement (MEC 011)
- Service APIs (MEC 012, 013, 014, 015)

■ Key Studies for Future Work

- Study on MEC in NFV (MEC 017)
- Study on Mobility Support (MEC 018)

■ Evolution of Phase 1 and closing open items

- Application Mobility (MEC 021)
- Lawful Intercept (MEC 026 - published)

■ Addressing key Industry Segments

- V2X (MEC 022 - published, MEC 030)
- IoT (MEC 033), Industrial Automation, VR/AR

■ Key use-cases and new requirement

- Network Slicing (MEC 024)
- Container Support (MEC 027)

■ Normative work for integration with NFV

- Incorporate in v2 of existing specs as needed

■ From “Mobile” to “Multi-Access”

- Wi-Fi (MEC 028)
- Fixed Access (MEC 029)

■ MEC integration in 5G networks (MEC 031)

• Developer community engagement

- API publication through ETSI Forge (more overleaf)
- Hackathons

• Testing and Compliance (MEC 025 - published, MEC 032)

■ Preliminary activities starting now.

■ Full work planned to start late 2020

■ MEC as heterogeneous clouds

- Expanding traditional cloud and NFV LCM approaches
- Inter-MEC systems and MEC-Cloud systems coordination (MEC 035)
- Mobile or intermittently connected components
- Consumer-owned cloud resources

■ Continuing emphasis on enabling developers

- API Serialization
- Sandbox development
- Testing and compliance

■ Continue to defined services that meet industry demand

■ Maintain completed APIs

ETSI MEC phase 1 (Completed)

ETSI MEC phase 2 (Completing)

ETSI MEC phase 3 (Planning)

Our Standards

ETSI MEC – Foundation for Edge Computing

Application Enablement and Framework	API Principles	Specific service-related APIs	Management and Orchestration related APIs
<p>Service definition framework and baseline platform services authorized applications.</p> <ul style="list-style-type: none"> • Registration, discovery and notification; • Methodology for authentication and authorization of apps providing/consuming services; • Communication support for services (query/response and notifications). 	<p>Principles and guidance for developing and documenting APIs</p> <ul style="list-style-type: none"> • Developer-friendly approach to foster development • Ensures that a consistent set of APIs are used by developers. • Defines approach for authentication and authorization of apps providing/consuming services • Based on TMF and OMA best practices 	<p>Standardized service-exposure APIs for key services that</p> <ul style="list-style-type: none"> • Expose network and context information • Allow definition of localized, contextual services • Support key use cases (e.g. enterprise, vehicular) • Allow fine-grained edge traffic management 	<p>Management of MEC hosts either as stand-alone entities or part of a larger NFV-managed framework</p> <ul style="list-style-type: none"> • Facilitate running of 3rd party application • Enable deployment at the correct location at the right time, based on technical and business parameters • Integrate into telco operations systems, e.g. OSS


Enables a myriad of new use cases across multiple sectors as well as innovative business opportunities

Enabling Global Application Portability



MEC Application Development Community

Interaction & Information Exposure



- ✓ Simple to use, well documented APIs, published with OpenAPI Framework
- ✓ Create innovative applications quickly and easily, reducing time-to-revenue
- ✓ New APIs (compliant with the MEC API principles) can be added
- ✓ Increase the Total Addressable Market (TAM)

MEC and Management: The Killer Use Case for Automation

MEC deployments present challenging environment

- (large scale: geography) x (small scale: cloud footprint)
- Unmanned/lights out location
- Outside traditional service areas

While supporting “critical infrastructure”

- Telco, public safety, etc.
- “9’s” of availability requirements

- The following ETSI White Papers address the MEC deployment aspects:

- ☐ WP#23: *Cloud RAN and MEC: A Perfect Pairing*
- ☐ WP#24: *MEC Deployments in 4G and Evolution Towards 5G*
- ☐ WP#28: *MEC in 5G networks*
- ☐ WP#30: *MEC in an Enterprise Setting: A Solution Outline*

Unique requirements and processes

- Minimize need for human presence
- Maximize service time intervals
- Minimize skills required from those on site


In other words

- Get as close as possible to the web-scale maintenance model
- In a very non-web-scale environment

All white papers are available in

<https://portal.etsi.org/TBSiteMap/MEC/MECWhitePapers.aspx>

A key part of ETSI Network Automation Standards



ZSM: overall approach

NFV, OSM: managing telco clouds

MEC: managing edge telco clouds

MEC White Papers: A view of a whole picture

Standards are necessarily tools, not solutions

- ✓ Enable interoperability
- ✓ Support a broad range of use cases and system architecture
- ✓ Address only a specific part of the whole picture

MEC White Papers: how we help industry see the whole picture

- ✓ Harmonizing Standards for Edge Computing: a synergized architecture leveraging ETSI MEC and 3GPP
<https://www.etsi.org/newsroom/news/1806-2020-07-new-etsi-white-paper-harmonizing-standards-for-edge-computing-a-synergized-architecture-leveraging-etsi-isg-mec-and-3gpp-specifications>
- ✓ MEC in an Enterprise Setting
https://www.etsi.org/images/files/ETSIWhitePapers/etsi_wp30_MEC_Enterprise_FINAL.pdf
- ✓ MEC in 5G Networks: http://www.etsi.org/images/files/ETSIWhitePapers/etsi_wp28_mec_in_5G_FINAL.pdf
- ✓ MEC deployment in 4G and towards 5G:
http://www.etsi.org/images/files/ETSIWhitePapers/etsi_wp24_MEC_deployment_in_4G_5G_FINAL.pdf
- ✓ CRAN and MEC: A Perfect Pairing:
http://www.etsi.org/images/files/ETSIWhitePapers/etsi_wp23_MEC_and_CRAN_ed1_FINAL.pdf
- ✓ Developing SW for MEC (2nd Ed.)
https://www.etsi.org/images/files/ETSIWhitePapers/etsi_wp20ed2_MEC_SoftwareDevelopment.pdf
- ✓ and many more to come!



A photograph of a modern control room or operations center. Two people are seated at a large, curved desk, working on multiple computer monitors. The room has a large window in the background, providing a view of a cityscape and a body of water. The image is partially obscured by a white circular graphic element on the right side.

WG DECODE: Enabling Edge Computing in the Telco Industry

MEC PoCs: Show off YOUR cool Edge

Recent PoCs (first 9 are complete)

ETSI MEC Proof of Concept

PoC #10

Service-Aware MEC Platform to Enable Bandwidth Management of RAN

Industry Technology Research Institute
- Linker Network - FarEasTone

ETSI MEC Proof of Concept

PoC #11

Communication Traffic Management for V2x

KDDI Corporation - Saguna Networks Ltd.
- Hewlett Packard Enterprise

ETSI MEC Proof of Concept

PoC #12

MEC Enabled OTT Business

China Unicom, ZTE, Intel, Tencent, Wo video, UnitedStack

ETSI MEC Proof of Concept

PoC #13

MEC infotainment for smart roads and city hot spots

TIM, Intel, Vivida, ISMB, City of Turin

ETSI MEC Proof of Concept

The next PoC

IMAGINE YOUR BEST HERE

Thought Leaders in Edge Computing



We encourage **new POC** submissions to ETSI MEC !

For further details, please see:
<http://mecwiki.etsi.org> or
contact CTI_Support@etsi.org

MEC Deployment Trial: MEC in action in Live Networks

Next step from MEC PoC to keep engaging the ecosystem in MEC standards based deployments

- ✓ From Proof of Concept to proof of viability in a Live Network environment
- ✓ Follows the proven MEC PoC framework with a new set of acceptance criteria
 1. Trial deployed in Live Network
 2. Demonstrated to the industry, e.g. in an industry event or in ISG MEC
 3. Feedback to MEC standardization; improvement proposals, lessons learnt, next steps
- ✓ Currently the following MDTs are active:



We encourage new MDT submissions to ETSI MEC !

For further details,
please see:
<http://mecwiki.etsi.org> or
contact CTI_Support@etsi.org

ETSI MEC Deployment Trial	ETSI MEC Deployment Trial	ETSI MEC Deployment Trial	ETSI MEC Deployment Trial
MDT #1	MDT #2	MDT #3	MDT #4
CDN at the Edge	MEC in Factory Network	Edge-Cloud VR cloud game scheme based on 5G network	ARVR navigation based on 5G MEC
China Mobile, Nokia	China Mobile, Huawei	China Unicom, Huawei, Tencent, Intel	China Telecom, Huawei, 21CN

MEC Testing and Conformance

MEC-0025: Testing Framework

Compliance
Test Cases

The foundation, providing the testing methodology guidelines & framework


MEC-0032:

MEC API Conformance Test Specifications

Part 1: Test requirements and Implementation Conformance Statement (ICS)

Part 2: Test Suite Structure (TSS) and Test Purposes (TPs) using the standardized notation TDL_TO


Part 3: Abstract Test Suite (ATS) written in a machine-readable specification languages TTCN-3 & Robot (ETSI Forge hosted)



- ✓ API conformance test specifications critical to validate the standard
- ✓ Executable test suites serve developer communities and industry in enabling API implementation conformance testing
- ✓ Specifications key input to the ongoing ETSI NFV/MEC Plugtest™

“Test once, use anywhere”

ETSI Forge OpenAPI repository



The screenshot shows the ETSI Forge website. The header includes the ETSI logo and navigation links: Welcome, Take part, Tools, Register, Users, and FAQs. The main banner reads "Welcome to ETSI Forge" and "Collaborative tools for standardized technologies". Below this, there's a section titled "Activity from ETSI groups" with two tabs: "MULTI-ACCESS EDGE COMPUTING" (selected) and "NETWORK FUNCTIONS VIRTUALISATION". Under the selected tab, it says "Find the latest APIs from the Multi Access Edge Computing ISG. Download, use, report:". A list of APIs is shown, including "Mobile Edge Platform Application Enablement API - GS 011", "Radio Network Information API - GS 012", "Location API - GS 013", "UE Identity API - GS 014", "Bandwidth Management API - GS 015", and "UE Application Interface API - GS 016". A blue oval highlights this list, and a line points from the text "API descriptions all publicly available" in the adjacent text box to the list.

ETSII

Welcome Take part Tools Register Users FAQs

Welcome to ETSI Forge

Collaborative tools for standardized technologies

Activity from ETSI groups

MULTI-ACCESS EDGE COMPUTING NETWORK FUNCTIONS VIRTUALISATION

Find the latest APIs from the Multi Access Edge Computing ISG. Download, use, report:

- Mobile Edge Platform Application Enablement API - GS 011
- Radio Network Information API - GS 012
- Location API - GS 013
- UE Identity API - GS 014
- Bandwidth Management API - GS 015
- UE Application Interface API - GS 016

Motivation: Validation; Accessibility; Feedback

- Targeting 3rd party developer

API descriptions all publicly available


- Electronic form (machine readable)
- Compliant to the OpenAPI Specification
 - Automated compliance checking

OAS offers

- Interactive documentation
- Auto client/server communication stub generation
 - Multiple language support, e.g. Node.js, Java, Go

OpenAPI: Interactive documentation

ETSI Forge hosted “Swagger-UI”



- Visualization and interaction with each API's resources
- No client / server implementation logic required
- Facilitates better understanding of MEC APIs
- Automatically generated for each OpenAPI compliant MEC API description

ETSI MEC Sandbox

- ✓ Another developer focused pioneering initiative from ISG MEC, facilitating hackathons and Plugtests™
- ✓ Online edge emulation environment for Service APIs interaction
- ✓ Users remotely call MEC service end-points from their application or via a web-portal “Try-it” page


Web-Portal Front-End

- User authentication
- Scenario Selection and Configuration
- MEC Service API connection (provides entry point to scenario)

Scenario Engine
(PoAs, locations,
UEs, mobility,
service end-points)

instance per user

5G Macro + Wi-Fi scenario example



ETSI Forge hosted

MEC Hackathons

ETSI ISG MEC Hackathon Framework:

- Open Call for proposers and hosts interested in organizing a MEC Hackathon
- Submit on our Wiki page <https://mecwiki.etsi.org>

MEC Hackathons

- [18-19 September 2018: 3 parallel events](#)
 - Berlin (co-located with Edge Computing Congress)
 - Beijing (China)
 - Turin (Italy)
- [17-18 September 2019: 2 parallel events](#)
 - London, UK (co-located with Edge Computing Congress)
 - Shenzhen (China)
- [18 November 2019, in collab. with LF Edge and Akraino](#)
 - San Diego (USA) (with KubeCon + CloudNativeCon North America)
- [25-26 November 2020](#)
 - Turin (co-located with Droidcon Italy)

We encourage
new proposals for MEC
Hackathons!


For further details,
please see: <http://mecwiki.etsi.org> or
contact CTI_Support@etsi.org



Now also
REMOTE



Droidcon MEC Hackathon 2020




In preparation to the competition, organizers will offer in advance to developers Teams **remote access** to MEC platforms, and related info/guides

Submissions are OPEN




<https://it.droidcon.com/2020/hackathon/>

A photograph of a modern control room with two operators seated at a large, curved desk. The desk is equipped with multiple computer monitors, keyboards, and specialized control panels. The operators are wearing headsets. Large windows in the background provide a panoramic view of a city and a body of water under a clear blue sky. The image is partially obscured by a white circular graphic element on the right side.


The larger Telco World: ETSI MEC and 5G

MEC Phase 2 – Study Item MEC in 5G (MEC 031)

- ✓ The ETSI white paper MEC in 5G networks sets the scene for this study item
- ✓ ISG MEC investigates the opportunities offered to MEC by the 5G system and its edge computing enablers
- ✓ The scope includes the following
 1. C-plane interactions with 5GC,
 2. Functional split between MEC and 5GC wrt. API framework,
 3. Organization of MEC as an AF,
 4. Pertinent interactions of MEC with (R)AN



3GPP enablers for MEC – Selection & re-location of UPF



Selection & re-location of UPF

AF influence on traffic routing


Mobility event notifications
from SMF

Concurrent access to local and
central DN

MEC as an AF (Application Function) can request the 5GC to

- Select a local UPF near the target (R)AN node
- use the local UPF for PDU sessions of the target UE(s)
- control the traffic forwarding from the local UPF so that the UL traffic matching with the traffic filters received from MEC (AF) is diverted towards MEC hosts while other traffic is sent to the Central Cloud

3GPP enablers for MEC – Selection & re-location of UPF



Selection & re-location of UPF

AF influence on traffic routing


Mobility event notifications from SMF

Concurrent access to local and central DN

In case of UE mobility, the 5GC can

- re-select a new local UPF more suitable to handle application traffic identified by MEC (AF)
- notify the AF about the new serving UPF

3GPP enablers for MEC – AF influence on traffic routing



Selection & re-location of UPF

AF influence on traffic routing


Mobility event notifications
from SMF

Concurrent access to local and
central DN

MEC as an AF can provide the following to 5GC

- traffic filters identifying MEC applications deployed locally on MEC hosts in Edge Cloud
- the target UEs (one UE identified by its IP/MAC address, a group of UE, any UE)
- information about forwarding the identified traffic further e.g. references to tunnels towards MEC hosts

3GPP enablers for MEC – Mobility event notifications



Selection & re-location of UPF

AF influence on traffic routing

**Mobility event notifications
from SMF**

Concurrent access to local and
central DN

5GC allows MEC as an AF


- subscribe to UE mobility events that may affect traffic forwarding to MEC applications
- Receive notifications of UE mobility events affecting MEC application instances

3GPP enablers for MEC - Concurrent access to local and central DN

Same UP session allows the UE to obtain content both from local server and central server

Service continuity enabled by IP address anchoring at the centralized UPF.

No impact on UE in case of Uplink Classifier (ULCL) option is used.



Selection & re-location of UPF


AF influence on traffic routing

Mobility event notifications
from SMF


Concurrent access to local and
central DN

MEC and NFV a common approach to management

MEC and NFV: MANO for the Telco Edge



MEC management: MEC-specific Operations



Mm1 required APIs:

- Application Package Management
- Application Lifecycle Management


Mm3 required APIs:

- Application Package Management
- Application Lifecycle Management
- Application Lifecycle Change Notification

These NFV semi-agnostic

- Information models designed to be feasible without NFV
- Data models are NFV-consistent and compatible

MEC management: MEC-NFV Interaction



3 “Hybrid” Reference points identified as shown

- Mv3: at this point no specific changes to Ve-Vnfm-vnf are expected (i.e. it can be used as is)
- Mv2: Necessary changes are being addressed by NFV IFA as part of FEAT12 work (MECinNFV)
- Mv1: work identified, coordination plan is on-going

Additionally, MEC descriptor (AppD) must be linked to NFV descriptor (VNFD). This has been addressed as part of Rel 3 work using Non-MANO artifact capability as defined in Annex B of ETSI GS NFV-SOL 004 v. 2.5.1 and higher.

The
END

Epilogue

ETSI ISG MEC is the leading voice in standardization & industry alignment around MEC

- Key building block in the evolution of mobile-broadband networks, complementing NFV & SDN
- Key enabler for IoT and mission-critical, vertical solutions
- Widely recognized as one of the key architectural concepts and technologies for 5G
 - Can be used to enable many 5G use cases without a full 5G roll-out (i.e. with 4G networks)
- Enable a myriad of new use cases across multiple sectors as well as innovative business opportunities